

Special Automotive Body Service Tools



SERVICE TOOL DIVISION
KENT-MOORE CORPORATION

Working in close cooperation with the service and engineering departments of numerous vehicle manufacturers, the Service Tool Division of Kent-Moore Corporation specializes in the design, engineering, and manufacturing of special service products. These products are used for the repair and maintenance of automobiles, trucks, buses, marine engines, farm machinery, heavy equipment, rail transport, and military equipment.

Listed in this brochure are the special body tools approved by General Motors for service on the bodies of their vehicles.

These tools will enable the technician to perform the required service on the body more quickly, safely and without any damage to the vehicle body. This means greater profit for your body shop.

INDEX

Glass and Weatherstrip Service Tools.....3, 4

Body Cement Gun
Mechanical Weatherstrip Tools
Reveal Moulding Tools
Windshield Antenna Testers
Windshield and Glass Aligning Blocks

Door Service Tools.....5, 6

Arm Rest Tools
Door Hinge Wrenches and Tools
Side Mirror Tools
Trim Pad Tools

Instrument Panel and Windshield Wiper Service Tools.....6, 7, 8

Ignition Switch Tools
Light Switch Tools
Stereo Tools
Windshield Wiper Tools

Trunk Service Tools.....8

Rear Deck Lid Torsion Bar Tools

Body Panel Service Tools.....8, 9

Paint Tools
Radio and Antenna Tools
Rocker Panel Tools
Spot Weld Tools
Weatherstrip Tools

Radio and Antenna Service Tools.....9, 10

Antenna Tester Tools
Radio Systems Checker Tools

Headlight Service Tools.....10

Hood Service Tools.....10

Roof and Convertible Top Service Tools.....11

Convertible Top Tools
Headlining Tools
Roof Fabric Tools

Miscellaneous Body Service Tools.....11

MODEL IDENTIFICATION CHART

BODY TYPE	SALES NAME	BODY TYPE	SALES NAME
A	Chevelle, LeMans, etc.	E	Toronado, Riviera, etc.
B	Impala, LeSabre, etc.	F	Camaro, Firebird
C	Ninety Eight, Electra, etc.	X	Nova, Ventura II
D	Fleetwood Seventy-Five	Z	Corvair

SPECIAL BODY SERVICE TOOLS

GLASS AND WEATHERSTRIP SERVICE TOOLS

J 21549-1 Handle (Reveal Moulding Clip Remover)

J 21549-3 Reveal Moulding Clip Remover


J 21549-4 Windshield Adhesive Cutting Knife

J 21549-5 Reveal Moulding Clip Remover

J 21549-6 Reveal Moulding Clip Remover

J 21549-10 Reveal Moulding Clip Remover

J 21549-11 Reveal Moulding Clip Remover



Moulding designs and attachment clip locations make it a necessity to use the applicable reveal moulding clip removers for effectiveness and damage free operations.


(See application chart below)

J 5757 Mechanical Weatherstrip Installer




All GM rubber mechanical windshield seals can be installed with this tool. The J 5757 is designed especially for this task and provides a more comfortable operation when installing the weatherstrip.

J 21104 Mechanical Weatherstrip Remover



This tool will properly remove mechanical weatherstrip on all GM cars. Insert the remover between the weatherstrip and the door at the retainer locations and a simple twist of the tool will remove the weatherstrip and retainer.

J 7898-01 Reveal Moulding Remover



The J 7898-01 will properly remove all GM thru 1964 reveal mouldings.

APPLICATION CHART

MODEL YEAR	SERIES	WINDSHIELD	BACK WINDOW	QUARTER WINDOW	SKY LIGHT WINDOW
1965	All GM except Chevy II	J 21549-1 J 21549-5 J 21549-6	J 21549-1 J 21549-5 J 21549-6	J 21549-1 J 21549-3 J 21549-5 J 21549-6	J 21549-1 J 21549-5 J 21549-6
1966-67	All GM except Chevy II	J 21549-1 J 21549-5 J 21549-6	J 21549-1 J 21549-3 J 21549-5 J 21549-6	J 21549-1 J 21549-3 J 21549-5 J 21549-6	J 21549-1 J 21549-5 J 21549-6
1966-67	Chevy II	NONE	J 21549-1 J 21549-5 J 21549-6	NONE	NONE
1968-70	All GM	J 21549-1 J 21549-5 J 21549-6	J 21549-1 J 21549-3 J 21549-5 J 21549-6	J 21549-1 J 21549-3 J 21549-5 J 21549-6	J 21549-1 J 21549-5 J 21549-6
1971-72	A & X	J 21549-1 J 21549-5 J 21549-6	J 21549-1 J 21549-5 J 21549-6	J 21549-1 J 21549-5 J 21549-6	J 21549-1 J 21549-5 J 21549-6
1971-72	B, C, D, E & F	J 21549-1 J 21549-10 J 21549-11	J 21549-1 J 21549-10 J 21549-11	J 21549-1 J 21549-10 J 21549-11	NONE


SPECIAL BODY SERVICE TOOLS

Glass and Weatherstrip Service Tools Continued

J 5742-01 Windshield Aligning Blocks *(Set of Six)*


J 8942 Windshield Aligning Blocks *(Set of Six)*

J 22577 Windshield Aligning Blocks *(Set of Six)*



Windshield aligning becomes simplified by the usage of these blocks. For all GM cars to 1961 and Chevrolet ½ ton 1967-68 use the J 5742-01. The J 8942 is applicable for all GM thru 1965 and the J 22577 is used on all Chevrolet Trucks (except ½ ton) 1967-68.

J 2767 Windshield Glass Seal Insert Installer



This handy tool makes installation of the windshield glass seal insert a convenient and less tedious chore. The J 2767 is applicable on all past model General Motors cars with mechanical rubber windshield seals.

J 23520 Windshield Antenna Tester

(All Vehicles with Windshield Antennas)




The recommended method of checking windshield antennas is with the J 23520 Tester. Move the tester along the antenna while the car radio is on an A.M. Band and the receiver is tuned to an open location. A buzzing will be heard from the car radio speaker if the antenna is working properly.

J 23394 Glass Alignment Gauge Blocks *(Set of Three)*

J 23711 Glass Alignment Gauge Blocks *(Set of Three)*


J 23711-5 Glass Alignment Gauge Block



To facilitate proper adjustment of door and quarter windows, it is essential that technicians have the use of locating and alignment gauge blocks. These blocks allow the technician to easily make the correct adjustments the first time. The J 23394 is used on all 1969-1970 ventless GM cars except convertibles, 1971 A & F body styles except convertibles, and 1972 A & F hardtops.

For all B, C, & E hardtop body styles 1971-1972 use the J 23711. The J 23711-5 is designed for 1971-1972 (68169) Cadillac C body styles.

J 22055 Door and Quarter Window Roller Nut Socket



The door and quarter glass of all GM 1965-1972 cars requires a special nut for glass and sash attachments. This socket is used to properly remove and replace the special nut to a specific torque.

J 3296 Body Cement Gun



The J 3296 has proven to apply an excellent cement job on all models of cars.

J 21828 Reveal Moulding Clip Installer

(used with J 21549-1 Handle)



Installation of the reveal moulding clips on all model Opels is facilitated with the usage of this tool.

SPECIAL BODY SERVICE TOOLS

DOOR SERVICE TOOLS

J 21550 Front Door Hinge Wrench

All GM A Body 64-67 All GM F, X, Z and X Style Bolt-on, 69-72

J 22585 Door Hinge Bolt Wrench 9/16"

Chev. Truck 1968-72

J 22675 Door Hinge Bolt Wrench 5/16"

1968 Corvair

J 22729 Front Door Hinge Bolt Wrench 9/16"


All GM B, C, E Body 1967-70

J 22744 Door Hinge Wrench 9/16"

1967-68 Cadillac C Body

J 22810 Door Hinge Wrench 1/2"


All GM A & G Styles 1968-72 A, B, C, E & F Styles 1971-1972



These specially designed wrenches enable easy adjustment of door hinges.

J 23457 Door Lock Striker Wrench

(Seat Belt Retaining Bolt Wrench)




This wrench is needed to properly adjust the door lock striker. This wrench is applicable on all GM 1971-1972 cars. The J 23457 is also used on the GM 1972 seat belt retaining bolts.

J 23659 Door Lock Striker Wrench

To properly torque the door lock striker this 5MM Allen wrench adapter has been designed for use with a 3/8" drive. This wrench is applicable on the 1971-1972 Opels.




J 21688 Door Hinge Pin Remover




The door hinge pin on all Opel Kadetts 1963-1972 can best be removed by the use of this specially designed tool.

J 23568 Door Hinge Pin Remover



In order to remove the door on all Vegas it is necessary to remove the door hinge pin. The J 23568 will properly remove this pin.


J 8749 Door Hinge Socket and Ratchet



This tool is used on the 1960-63 Chevrolet Corvair.

J 23497 Door Hinge Spring Compressor


For door removal or hinge work on all GM X styles 1971-1972 it is necessary to remove the hold open spring. This spring compressor will remove and install the spring safely and in an approved manner.



SPECIAL BODY SERVICE TOOLS

Door Service Tools Continued

J 22413 Door Hinge Screw Driver Bit #4 Posidrive



The 1966-1968 American Motors cars and the 1967 Firebird have door hinge bolts that require higher torquing. This special wrench adapter performs this operation without damage to the bolt head.

J 2631-01 Trim Pad Depressor

This handy little tool is designed especially for depressing the trim pad on all GM cars.




J 9886 Door Handle Clip & Trim Pad Remover



The J 9886 is a multi-purpose tool. It will remove the door handle clips from the retaining groove and leave the clips on the shank of the handle. This tool will also remove the trim pad while not pulling the clips out of the pad or damaging the trim pad itself. This tool is applicable to all GM cars.

J 6335 Trim Pad Remover




Designed especially for all GM car trim pads, this tool is a definite time saver.

J 22993 Side Mirror Spanner Wrench—Cadillac 67-69




Removal and installation of the bezel on the door panel which retains the remote control knob for the outside mirror is much quicker with this wrench.

J 22213 Remote Mirror Escutcheon Nut Wrench



All GM 1963-1972 remote mirrors have an escutcheon nut that is difficult to reach. The J 22213 is designed to reach this nut without any damage to the nut or the mirror itself. (J 21932 does not work on this application.)

J 23554 Arm Rest Nut Wrench



The J 23554 is designed to fit the arm rest nut in all GM 1971-1972 cars. Usage of this tool will prevent damage to the nut, arm rest, and provides a quick and easy way to remove and install the nut.

*Refer to your service manual
for complete operating instructions*


INSTRUMENT PANEL & WINDSHIELD WIPER SERVICE TOOLS

J 7607-01 Ignition Switch Nut Wrench

(GMC Truck 67-68, Chev. 55-56, 59-65, Pont. 1964-68)

J 22305 Ignition Switch Nut Wrench

(Chev. 66-67)



J 7607-01



J 22305


These wrenches are a must when servicing ignition switches.

J 21109 Ignition Switch Nut Wrench

(Cadillac, 1963-66)

J 22547 Ignition Switch Nut Wrench

(Cadillac, 1967)



J 21109




J 22547

SPECIAL BODY SERVICE TOOLS


Instrument Panel and Windshield Wiper Service Tools Continued

J 21724 Light Switch Nut Wrench




All Opels have a light switch nut that cannot be easily removed or installed with conventional tools. The J 21724 is designed specifically for this task.

J 8966 Windshield Wiper Arm Remover & Installer




J 8966, is a real time saver tool for work on all windshield wiper arms for A, F & X style bodies 1971-72.

J 22128 Windshield Wiper Arm Remover & Installer




This tool is a handy item when working on A, F, & X body style 1961-72 wipers. It has a wide application and is used frequently in many service centers.

J 23018 Windshield Wiper Switch Bezel Socket




This socket will fit the 1968 Chevrolet wiper switch bezel and provide for convenient service.

J 21932 Adjustable Bezel and Ferrule Nut Wrench



It is now possible to purchase one wrench that will fit practically all bezels and ferrules. Without a doubt this is a handy tool for any service work around instrument panels.


J 8653 Instrument Panel Nut Wrench




A handy tool while working on the instrument panel of the Pontiac 1954-1968 is the J 8653.

J 23118 Instrument Panel Accessory Switch Punch

This tool is recommended for making clean openings for accessory switches on all 1969-70 Pontiac instrument panels.




J 22901 Glove Box Nut Wrench



The J 22901 is specially designed for the glove box service on all 1968 Pontiacs.

J 6968 Radio Control Knob Nut Wrench



To prevent any damage to adjacent parts on the radio while removing and installing the bezel control knob use the J 6968. The J 6968 is designed for all Cadillac 1957-1967 and all Chevrolet 1969-1972 cars.

J 23724 Cassette Test Tape



All Cassette Stereo tape systems can now be analyzed with this test tape. The test tape will check the sound, speed, and crosstalk in the system.

J 23505 Stereo Test Tape



All American Motor 8 track tape systems can be tested for speed, sound, and crosstalk with this test tape.

J 22683-01 Stereo 8 Track Test Tape Cartridge



This test tape has been developed to provide a check for proper tape speed, cross talk, and sound on all Stereo 8 track tape players.

SPECIAL BODY SERVICE TOOLS

Instrument Panel and Windshield Wiper Service Tools Continued

J 7778-01 Fog-Lamp Switch Nut Wrench (Trunk Lock Release Switch Wrench)



All Cadillac 1959 thru 1962 have a fog lamp switch nut that is difficult to adjust. The J 7778-01 is designed to handle this specific operation with speed and efficiency.

J 23373 Key Identification Plug Remover



The J 23373 will properly remove the code number slug on all GM keys. This tool is fast, easy to use, and will not damage the key.


TRUNK SERVICE TOOLS

J 21412 Rear Deck Lid Torsion Bar Adjuster A & X body styles 1971-72, A, B, C, & G body styles 1970

J 23990 Rear Deck Lid Torsion Bar Adjuster Vega Sedans 1971-72 (Removal & Installation)

J 23722 Rear Deck Lid Torsion Bar Adjuster Cadillac C & E body styles 1971-72

J 23719 Rear Deck Lid Torsion Bar Adjuster B style 1971-72 GM



Rear deck lid torsion can be adjusted to the required degree with these valuable tools.

J 22291 Rear Deck Lid Torsion Bar Adjuster E body Buick & Olds 1966-70

J 23408 Rear Deck Lid Torsion Bar Adjuster 1969-70 Chev. custom coupes




J 7778-01 Trunk Lock Release Switch Wrench (Fog-Lamp Switch Nut Wrench)



This tool is required to remove the remote-control trunk lock release switch on 1971 and 1972 Cadillacs.

BODY PANEL SERVICE TOOLS

J 21104 Weatherstrip Remover



This tool is perhaps one of the most popular of its kind on the market today. It can be used on all weatherstrips of GM styles and is a must for each service center.

J 21214 Rocker Panel Moulding Clip Pliers



These pliers will remove all moulding clips without damage to the clip itself.

SPECIAL BODY SERVICE TOOLS

Body Panel Service Tools Continued

J 8943-01 Spot Weld Cutting Tool (3 Extra Blades)




Removal of spot welds is easily accomplished with this cutting tool. The application of this cutter is universal and has proven to be widely accepted by automotive service centers.

J 8967 Replacement Blades for J 8943-01 (Set of Six)



These blades are designed for the J 8943-01 cutting tool.



J 23714-01 Paint Striper Tool Set



Paint striping for 3/32", 1/16", or 1/8" applications are easily handled by the J 23714 tool set. The paint striper is guided by a flexible magnetic guide which holds itself to the metal body and accurately conforms to the curves of the desired strips. This set is applicable on all cars.

J 23366 Power-Pull One-Ton Capacity

J 23368 Power-Pull Two-Ton Capacity



Each body shop has a need for a strong puller, lifter or stretcher. There are a hundred different uses for these one and two ton power-pulls.


J 23367 Fender Strap Attachments



This strap used with the Power-Pulls enables the technician to clamp onto the fenders for pulling and aligning.


RADIO AND ANTENNA SERVICE TOOLS

J 23520 Windshield Antenna Tester



The recommended method of checking windshield antennas is with the J 23520 tester. Move the tester along the antenna while the car radio is on an A.M. band and the receiver is tuned to an open location. A buzzing will be heard from the car radio speaker if the antenna is working properly.

J 22276 Antenna Lead-In Extension



This extension is used with the J 22194 Radio Systems Checker when checking 1966-71 Buicks and 1966-70 Pontiacs.

SPECIAL BODY SERVICE TOOLS

Radio and Antenna Service Tools Continued

J 22194 Radio Systems Checker



One of the most popular radio checks on the market is this J 22194. It is used on all cars with a mast antenna. The checker will check the antenna mast, antenna lead-in, speaker, and radio. The J 22194 allows the technician to locate the exact trouble area in the radio system.

J 8676 Antenna Nut Wrench

All Pontiacs

J 9215 Antenna Nut Wrench

All Oldsmobiles

J 22889 Antenna Nut Wrench

Buick 1969 A and 1968 B & C bodies

J 23106 Antenna Nut Wrench

Buick 1968-1969 A body series

J 23434 Antenna Nut Wrench

Buick 1969 B & C body styles



Proper service of mast antennas can be accomplished with these nut wrenches. These wrenches prevent damage to the antenna nut.


HEADLIGHT SERVICE TOOLS

J 6878-01 Split Image Headlight Aiming Device



This very accurate aimer adjusts for floor slope using a transit level. 7" adapters are also included for use on single headlight vehicles.


J 22837 Guide-Matic Leveling Device



This device is used to check the automatic dimming device used on the 1968-71 Buick and Oldsmobile.

HOOD SERVICE TOOLS

J 21928 Front Compartment Torque Rod Adjusting Tool




When removing, installing, or adjusting the front compartment lid torque rod it is essential to use this tool. The J 21928 is designed to meet the necessary clearance requirements. Corvair 1965-68.

J 22382 Open Hood Safety Stops (Set of Six)



This tool allows the engine to be removed from vehicle without removing the hood. All Chevrolets 1965-1972.

J 23581 Hood Latch Release Tool




When the hood latch cable on Vega 1971-1972 becomes impaired it is necessary to use the J 23581 to open the hood.

SPECIAL BODY SERVICE TOOLS


ROOF AND CONVERTIBLE TOP SERVICE TOOLS

J 2772 Headlining Installer




The headlining installer is perhaps the best tool of its kind on the market. This installer is applicable on all cars. After the headlining is installed, this installer will tuck the skirt of the headlining under the toothed retainers along the side of the roof rail.

J 22710 Fabric Roof Cover Retainer Installer




This tool is used to install the retainer strip on GM vinyl top equipped vehicles thru 1968.

J 23790 Convertible Top Tensioning Gauge




This gauge provides an easy method of measuring the outward force of the side rails on all B, C, E, 1971-1972 GM convertible styles (inward folding top). The proper outward force provides proper weatherstrip contact, proper side rail rigidity and elimination of binding of the rail system when raising to folding top components.

J 21092 Fabric Roof Cover Trim Knife



While working with vinyl top covers on all cars, the excess material can be easily trimmed with this handy knife.

J 23091 Vinyl Roof Repair Tool Kit



Replacement of vinyl roof covers is both expensive and time consuming. Cut, torn, scuffed, or gouged vinyl roof covers can now be successfully repaired by the J 23091. This kit is applicable to all GM cars except Cadillac.

J 8074 Hydraulic Pressure Gauge Assy. (0-60 lbs.)




Pressure on the hydraulic pump which powers the convertible tops of all GM cars thru 1970 and A body convertible tops thru 1972 may be checked with this gauge.

MISCELLANEOUS BODY SERVICE TOOLS


J 23455-01 Listener

The Listener is an easy to use, electronic device that enables a technician to pinpoint air and water leaks. Basically it is an ultra-sensitive microphone and amplifier which detects sounds in the 35,000 to 45,000 cycles per second range. J 23583 Pressure Test Kit Adapter is available for pressurizing transmissions and engine blocks so that oil lubricating systems can be checked with this equipment.




J 24189 Antenna and Access Hole Kit

Contains blade sizes 1 3/4, 1, 7/8, 1 1/16 and 3/4 inch for antennas, air conditioners and access holes for body repair.



J 24223 Blair Hole Cutter



Complete kit containing center pilot and 1/4", 5/16", 7/16", 1/2", 9/16" and 5/8" hole saws to cut steel, cast iron, aluminum, copper and other materials.

*Refer to your service manual
for complete operating instructions*



**SERVICE TOOL DIVISION
KENT-MOORE CORPORATION**

SALES & ENGINEERING

28635 Mound Rd., Warren, Michigan 48092
Phone: 313-539-5330 Telex: 023-5377

ORDER DEPARTMENT

1501 S. Jackson St., Jackson, Michigan 49203
Phone: 517-784-8561 Telex: 022-3413





ORDER BLANK



KENT-MOORE BODY SERVICE TOOLS

(KM) A/R #

SOLD TO _____
(Please Print)
ADDRESS _____
CITY _____ STATE _____
COUNTY _____ ZIP NO. _____
SHIP TO _____
(If Same as "SOLD TO" Write in "SAME")
ADDRESS _____
CITY _____ STATE _____
COUNTY _____ ZIP NO. _____
CUSTOMER ORDER NO. _____

TERMS

☐ Open Account
(Approved Credit)☐ C.O.D.

\$ _____

Check Attached
This order cannot be
charged to Dealer
Parts Account.

THIS SPACE FOR ORDER DEPARTMENT
USE ONLY

TERMS 1 2 3 4 5					INVENTORY CODE 5	
TRANS. CHGS. 1 2		DROP SHIP *		EXTRA C.		
JOBBER 2		SURVEY D. 1		DO NOT B. O. *		
I. H. C. 6		MINUS INVENTORY *				
SALES TAX EXEMPT 1						
VIA 0 1 2 3 4 5 6 7 8 9						

ALL PRICES F.O.B. JACKSON, MICH.—SUBJECT TO CHANGE WITHOUT NOTICE—ORDER SUBJECT TO CONFIRMATION BY KENT-MOORE CORP.

QUANTITY	TOOL NO.	DESCRIPTION	PRICE	TOTAL
	J 2631-01	Trim Pad Depressor	\$ 3.75	
	J 2767	Windshield Glass Seal Insert Installer	8.00	
	J 2772	Headlining Installer	2.85	
	J 3296	Body Cement Gun	4.85	
	J 5742-01	Windshield Aligning Blocks (Set of six)	2.15	
	J 5757	Mechanical Weatherstrip Installer	5.70	
	J 6335	Trim Pad Remover	2.45	
	J 6878-01	Split-Image Headlight Aiming Device	58.90	
	J 6968	Radio Control Knob Nut Wrench	8.45	
	J 7607-01	Ignition Switch Nut Wrench	5.95	
	J 7778-01	Fog Lamp Switch Nut Wrench	4.25	
	J 7898-01	Reveal Moulding Remover	4.25	
	J 8074	Hydraulic Pressure Gauge	23.55	
	J 8653	Instrument Panel Nut Wrench	5.10	
	J 8676	Antenna Nut Wrench	3.40	
	J 8749	Door Hinge Socket and Ratchet	6.50	
	J 8942	Windshield Aligning Blocks (Set of six)	3.15	
	J 8943-01	Spot Weld Cutting Tool (Three extra blades)	9.85	
	J 8966	Windshield Wiper Arm Remover and Installer	3.65	
	J 8967	Replacement Blades for J 8943-01 (Set of six)	9.50	
	J 9215	Antenna Nut Wrench	4.75	
	J 9886	Door Handle Clip and Trim Pad Remover	2.00	
	J 21092	Fabric Roof Cover Trim Knife	3.65	
	J 21104	Mechanical Weatherstrip Remover	5.70	
	J 21109	Ignition Switch Nut Wrench	6.85	
	J 21214	Rocker Panel Moulding Clip Pliers	3.05	
	J 21412	Rear Deck Lid Torsion Bar Remover and Installer	7.05	
	J 21549-1	Handle (Reveal Moulding Clip Remover)	1.95	
	J 21549-3	Reveal Moulding Clip Remover	2.25	
	J 21549-4	Windshield Adhesive Cutting Knife	2.25	
	J 21549-5	Reveal Moulding Clip Remover	2.25	
	J 21549-6	Reveal Moulding Clip Remover	2.25	
	J 21549-10	Reveal Moulding Clip Remover	2.25	
	J 21549-11	Reveal Moulding Clip Remover	2.25	
	J 21550	Front Door Hinge Wrench	4.30	
	J 21688	Door Hinge Pin Remover	8.70	
	J 21724	Light Switch Nut Wrench	3.40	
	J 21828	Reveal Moulding Clip Installer	2.50	
	J 21928	Front Compartment Torque Rod Adjusting Tool	7.90	
	J 21932	Adjustable Bezel and Ferrule Nut Wrench	4.20	
	J 22055	Door and Quarter Window Roller Nut Socket	5.25	
	J 22128	Windshield Wiper Arm Remover and Installer	2.55	
	J 22194	Radio Systems Checker	23.80	
	J 22213	Remote Mirror Escutcheon Nut Wrench	4.40	
	J 22276	Antenna Lead-In Escutcheon Extension	2.00	
	J 22291	Rear Deck Lid Torsion Rod Adjusting Tool	7.90	

QUANTITY	TOOL NO.	DESCRIPTION	PRICE	TOTAL
	J 22305	Ignition Switch Nut Wrench	\$ 6.25	
	J 22382	Open Hood Safety Stop (Set of six)	6.15	
	J 22413	Door Hinge Screw Driver Bit No. 4 Posidrive	1.75	
	J 22547	Ignition Switch Nut Wrench	3.55	
	J 22577	Windshield Aligning Blocks (Set of six)	2.10	
	J 22585	Door Hinge Bolt Wrench 9/16"	7.95	
	J 22675	Door Hinge Bolt Wrench 5/16"	1.55	
	J 22683-01	Stereo 8 Track Test Tape Cartridge	8.75	
	J 22710	Fabric Roof Cover Retainer Installer	12.85	
	J 22729	Front Door Hinge Bolt Wrench 9/16"	3.60	
	J 22744	Door Hinge Wrench	4.80	
	J 22810	Door Hinge Wrench 1/2"	8.00	
	J 22837	Guide-Matic Leveling Device	5.50	
	J 22889	Antenna Nut Wrench (Power Antenna)	6.50	
	J 22901	Glove Box Nut Wrench	3.15	
	J 22993	Side Mirror Spanner Wrench	4.45	
	J 23018	Windshield Wiper Switch Bezel Socket	5.25	
	J 23091	Vinyl Roof Repair Tool Kit	42.30	
	J 23106	Antenna Nut Wrench	6.25	
	J 23118	Instrument Panel Accessory Switch Punch	28.75	
	J 23366	Power-Pull (One-Ton Capacity)	32.75	
	J 23367	Fender Strap Attachments	19.95	
	J 23368	Power-Pull (Two-Ton Capacity)	40.75	
	J 23373	Key Identification Plug Remover	5.25	
	J 23394	Glass Alignment Gauge Blocks (Set of 3)	11.35	
	J 23408	Trunk Lid Torque Rod Adjuster	6.25	
	J 23434	Antenna Nut Wrench (Power Antenna)	6.70	
	J 23455-01	The Listener	194.75	
	J 23457	Door Lock Striker Wrench (Seat Belt Retaining Bolt Wrench)	4.45	
	J 23497	Door Hinge Spring Compressor	42.95	
	J 23505	Stereo Test Tape	9.05	
	J 23520	Windshield Antenna Tester	10.05	
	J 23554	Arm Rest Nut Wrench	6.30	
	J 23568	Door Hinge Pin Remover	15.80	
	J 23581	Hood Latch Release Tool	3.60	
	J 23659	Door Lock Striker Wrench	2.40	
	J 23711	Glass Alignment Gauge Blocks (Set of 3)	11.35	
	J 23711-5	Glass Alignment Gauge Block	3.75	
	J 23714-01	Paint Striper Tool Set	29.25	
	J 23719	Torque Rod Adjuster	6.45	
	J 23722	Trunk Lid Torque Rod Adjusting Tool	13.25	
	J 23724	Cassette Test Tape	3.95	
	J 23790	Convertible Top Tensioning Gauge	19.30	
	J 23990	Rear Compartment Lid and Torque Rod Removing Tool	17.50	
	J 24189	Hole Saw	31.00	
	J 24223	Blair Hole Cutter	15.55	

TOTAL \$ _____

State and Local Sales and/or Use Tax will be added to order if applicable.

SALES TAX \$ _____

TOTAL \$ _____

SIGNED _____ PER _____ DATE _____
(Purchaser's Firm Name) (Individual)

SERVICE TOOL DIVISION KENT-MOORE CORPORATION

SALES & ENGINEERING

28635 Mound Rd., Warren, Michigan 48092
Phone: 313-539-5330 Telex: 023-5377

ORDER DEPARTMENT

1501 S. Jackson St., Jackson, Michigan 49203
Phone: 517-784-8561 Telex: 022-3413